# ECG TELEMETRY MODULE



## **EM-01**



### Portable device for wireless patient ECG monitoring.

EM-01 ECG telemetry module, which analyzes and transmits the ECG signal in the real time. It was designed as a part of the FX 3000 patient monitors system.

It is intended for patients who do not have to be constantly present at the patient's bed but require the supervision of the medical staff.

EM-01 module can be used for monitoring of adults and children mainly in cardiology units, but also in other hospital departments.

## EUROPEAN PRODUCT SOLD AROUND THE WORLD

Over 25 years of experience, thousands of patient monitors and defibrillators sold in Europe, Asia, Australia, Africa and South America.







## TECHNICAL PARAMETERS

#### **GENERAL PARAMETERS**

Protection class Safety requirements Battery powered or accumulator powered:

- battery

- rechargeable battery

battery powered, CF EN 60601-1, MDD: 93/42/EEC

2 x 1.5V; AA alkaline

2 x 1.2V; 2500 mAh; AA NiMH

### **PARAMETERS**

Input impedance Sensitivity in increments CMRR ratio

QRS complex detection Leads

Input protected against defibrillation impulse Input protected against high frequency disturbance

 $> 2.5 \ M\Omega$ 

2.5; 5; 10; 20; 40 (mm/mV)

> 100 dB 15 - 300 bpm

I, II, III, aVR, aVL, aVF

#### **CENTRAL STATION MONITORING**

ECG monitoring and archiving Alarms of monitored parameters Help request alarm

Low battery status information of the telemetry device













